

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): A rubber composition characterized by containing 5-60 parts by mass of an aromatic vinyl compound-diene compound copolymer (B) having a weight average molecular weight of more than 50,000 but not more than 300,000 (conversion to polystyrene through gel permeation chromatography) based on 100 parts by mass of a rubber component (A) comprising at least one rubber of natural rubber and synthetic diene-based rubbers in which the copolymer (B) comprises 5-80 mass% of the aromatic vinyl compound and a vinyl bond content in diene compound portion is 10-80 mass%, and the rubber component (A) contains a styrene-butadiene copolymer (C) having a weight average molecular weight of not less than 300,000 and the copolymer (C) comprises 20-60 mass% of an aromatic vinyl compound and has a vinyl bond content in diene compound portion of 10-80 mass%.

2. (original): A rubber composition according to claim 1, wherein the rubber component (A) comprises not less than 50 mass% of a styrene-butadiene copolymer rubber.

3. (currently amended): A rubber composition according to claim 1, wherein the rubber component (A) contains not less than 50 mass% of a styrene-butadiene copolymer (C) having a weight average molecular weight of 300,000-1,500,000, ~~and the copolymer (C) comprises 20-60 mass% of an aromatic vinyl compound and has a vinyl bond content in diene~~

~~compound portion of 10-80 mass%,~~ and the copolymer (B) comprises 10-70 mass% of an aromatic vinyl compound, and a difference in aromatic vinyl compound content between the copolymer (C) and the copolymer (B) is not more than 30 mass%.

4. (original): A rubber composition according to claim 3, wherein the copolymer (C) is at least one of an emulsion-polymerized styrene-butadiene copolymer comprising not less than 20 mass% of an aromatic vinyl compound and a solution-polymerized styrene-butadiene copolymer comprising not less than 20 mass% of an aromatic vinyl compound and having a vinyl bond content in diene compound portion of not less than 10 mass%.

5. (previously presented): A rubber composition according to claim 1, wherein the aromatic vinyl compound of the copolymer (B) is styrene.

6. (previously presented): A rubber composition according to claim 1, wherein the diene compound of the copolymer (B) is butadiene.

7. (previously presented): A rubber composition according to claim 1, wherein the copolymer (B) is a solution-polymerized styrene-butadiene copolymer rubber.

8. (previously presented): A rubber composition according to claim 1, wherein the copolymer (B) has a weight average molecular weight of more than 50,000 but not more than 200,000.

9. (previously presented): A rubber composition according to claim 1, wherein the copolymer has a weight average molecular weight of more than 50,000 but not more than 150,000.

10. (previously presented): A rubber composition according to claim 1, which further contains 30-90 parts by mass of a filler based on 100 parts by mass of the rubber component (A).

11. (original): A rubber composition according to claim 10, wherein the filler is at least one of carbon black and silica.

12. (original): A rubber composition according to claim 11, wherein the carbon black is SAF class to HAF class.

13. (previously presented): A rubber composition according to claim 1, wherein a total amount of the copolymer (B) and a softening agent is 5-80 parts by mass based on 100 parts by mass of the rubber component (A).

14. (previously presented): A rubber composition according to claim 1, wherein a total amount of the copolymer (B) and a softening agent is 5-60 parts by mass based on 100 parts by mass of the rubber component (A).

15. (previously presented): A pneumatic tire characterized by using a rubber composition as claimed in claim 1 in at least ground contact part of a tread portion.

16. (previously presented): A rubber composition according to claim 1, wherein the copolymer (B) has a weight average molecular weight of 80,000-300,000.